

限公司
TRIAL PTE. LTD.
TE, SINGAPORE 758152.

YOUR PROOF
Please check carefully,
sign and return

60 mm

DAVID GRAYS
FRUIT FLY
GARDEN SPRAY



POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



DAVID GRAYS
FRUIT FLY
GARDEN SPRAY

ACTIVE CONSTITUENT: 500g/L MALDISON
(an Anticholinesterase Compound)
SOLVENT: 488g/L LIQUID HYDROCARBON

For the control of fruit fly on fruit trees
in the home garden



Net Contents: 200mL

David Grays Fruit Fly Garden Spray

HOW TO USE:

PLANT	PEST	RATE	HOW TO APPLY
Fruit	Fruit Fly	25mL per 4 litres of water	To treat 30 trees mix solution with 25mL of Protein or 200g sugar.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER,
CONTRARY TO THIS LABEL UNLESS AUTHORISED.

DO NOT PICK FRUIT OR VEGETABLES FOR 4 DAYS
AFTER SPRAYING.

HOW TO PREPARE:

Pour required quantity into a measuring cylinder and mix with water.
Repeat if required and replace childproof cap.
DO NOT mix more than is needed. DO NOT store prepared spray

CAUTION:

DO NOT allow chemical container or spray to get into drains, sewers,
streams or ponds.

STORAGE and DISPOSAL:

Store in the closed, original container in a cool, dry place out of the
reach of children. Do not store in direct sunlight. Dispose of container
by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Avoid
contact with eyes and skin. Do not inhale vapour. Repeated minor
exposure may have a cumulative poisoning effect. Obtain an
emergency supply of atropine tablets 0.6mg. When opening the
container and preparing spray wear cotton overalls buttoned to the
neck and wrist or equivalent clothing and rubber gloves. If product on
skin, immediately wash area with soap and water. If product in eyes,
wash it out immediately with water. After use and before eating,
drinking or smoking, wash hands, arms and face thoroughly with soap
and water. After each day's use, wash gloves and contaminated
clothing.

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



DAVID GRAYS
FRUIT FLY
GARDEN SPRAY

ACTIVE CONSTITUENT: 500g/L MALDISON
(an Anticholinesterase Compound)
SOLVENT: 488g/L LIQUID HYDROCARBON

For the control of fruit fly on fruit trees
in the home garden



Net Contents: 200mL

FIRST AID:

If swallowed, splashed on skin or in eyes, or inhaled, contact a
Poisons Information Centre Phone eg Australia 131 126; New
Zealand 0800 764 766 or a doctor at once. Remove any
contaminated clothing and wash skin thoroughly. If swallowed,
activated charcoal may be advised. Give atropine if instructed. DO
NOT induce vomiting. Give a glass of water.

Formulated and Packed by:
DAVID GRAY & CO. PTY. LTD
ACN 008 671 127
2 RAWLINSON STREET,
O'CONNOR W.A. 6163
TELEPHONE: (08) 9337 4933
www.davidgray.com.au

UN 3018
(Pesticide Organophosphorous Liquid,
Toxic, N.O.S.) Pkg III
Main Class 6.1 Sub Class 3
TOXIC 6

Batch No:
D. O. M.
APVMA Approval No: 62242/200ML/1107



BAR
CODE

240 mm

- 1000 pcs/ROLL
- 1500 pcs/ROLL
- 2000 pcs/ROLL
- 2500 pcs/ROLL
- 3000 pcs/ROLL
- 3500 pcs/ROLL
- 5000 pcs/ROLL
- _____ pcs/ROLL

Additional changes will incur a nominal charge. before signing this proof check that the PLU Code or Bar
code is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the
responsibility of Far East Packaging with the authority to print your order as per attached proof. All original artwork
of Far East Packaging unless expressed otherwise.

Attn: _____

Signature: _____

Date: _____

YOUR LABELS WILL BE SUPPLIED IN THE FORMAT INDICATED BELOW. PLS. TICK THE APPROPRIATE BOX

SHEET Form

1

2

3

4

5

6

7

8

Perforation

w/o Perforation

Core Diameter:

1.0 inch

1.5 inches

3.0 inches

YOUR PROOF
 Please check carefully, sign and return

Size: W 130mm X H 81mm 200mL



David Grays Fruit Fly Garden Spray

PLANT	PEST	RATE	HOW TO APPLY
Fruit	Fruit Fly	25mL per 4 litres of water	To treat 30 trees mix solution with 25mL of Protein or 200g sugar.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.
DO NOT PICK FRUIT OR VEGETABLES FOR 4 DAYS AFTER SPRAYING.

HOW TO PREPARE:
 Pour required quantity into a measuring cylinder and mix with water. Repeat if required and replace childproof cap.

CAUTION:
 DO NOT allow chemical container or spray to get into drains, sewers, streams or ponds.

STORAGE and DISPOSAL:
 Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of container by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS:
 Harmful if inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist or equivalent clothing and rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID:
 If swallowed, splash on skin or in eyes, or inhaled, contact a Poisons Information Centre Phone eg Australia 131 126, New Zealand 0800 764 786 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. DO Not induce vomiting. Give a glass of water.

UN 3018
 (Pesticide Organophosphorous Liquid,
 Toxic, N.O.S.) Pgd III
 Main Class 6.1 Sub Class 3
 T.O.M.G 5
 APVMA Approval No: 62242200MU1107

Formulated and Packed by:
DAVID GRAY & CO. PTY. LTD
 ACN 008 671 127
 2 RAWLINSON STREET,
 O'CONNOR W.A. 6163
 TELEPHONE: (08) 9337 4933
 www.davidgray.com.au

POISON
 KEEP OUT OF REACH OF CHILDREN
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DAVID GRAYS
FRUIT FLY
GARDEN SPRAY

ACTIVE CONSTITUENT: 600g/L MALDISON
 (an Anticholinesterase Compound)
 SOLVENT: 488g/L LIQUID HYDROCARBON

For the control of fruit fly on fruit trees in the home garden



Net Contents: 200mL

BAR CODE

500 pcs/ROLL 1000 pcs/ROLL 2500 pcs/ROLL 5000 pcs/ROLL

750 pcs/ROLL 1500 pcs/ROLL 3000 pcs/ROLL

800 pcs/ROLL 2000 pcs/ROLL 3500 pcs/ROLL _____ pcs/ROLL

Important: This is your original manuscript, any additional changes will incur a nominal charge. before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.





遠東包裝工業私人有限公司
 FAR EAST PACKAGING INDUSTRIAL PTE. LTD.
 Co. Reg. No: 197602191G

18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

YOUR PROOF
 Please check carefully,
 sign and return


GARDEN SPRAY
FRUIT FLY
DAVID GRAYS





<p>POISON</p> <p>KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING</p>  <p>DAVID GRAYS</p> <p>FRUIT FLY</p> <p>GARDEN SPRAY</p> <p>ACTIVE CONSTITUENT: 500g/L MALDISON (an Anticholinesterase Compound) SOLVENT: 488g/L LIQUID HYDROCARBON</p> <p>For the control of fruit fly on fruit trees in the home garden</p>  <p>Net Contents: 500mL</p>	<p>David Grays Fruit Fly Garden Spray</p> <p>HOW TO USE:</p> <table border="1"> <thead> <tr> <th>PLANT</th> <th>PEST</th> <th>RATE</th> <th>HOW TO APPLY</th> </tr> </thead> <tbody> <tr> <td>Fruit</td> <td>Fruit Fly</td> <td>25mL per 4 litres of</td> <td>To treat 30 trees mix solution with 25mL of Protein or 200g sugar.</td> </tr> </tbody> </table> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.</p> <p>DO NOT PICK FRUIT OR VEGETABLES FOR 4 DAYS AFTER SPRAYING</p> <p>HOW TO PREPARE: Pour required quantity into a measuring cylinder and mix with water. Repeat if required and replace childproof cap. DO NOT mix more than is needed</p> <p>CAUTION: DO NOT allow chemical container or spray to get into drains, sewers, streams or ponds.</p> <p>STORAGE and DISPOSAL: Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of container by wrapping in paper, placing in a plastic bag and putting in garbage.</p> <p>SAFETY DIRECTIONS: Harmful if inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist or equivalent clothing and rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.</p>	PLANT	PEST	RATE	HOW TO APPLY	Fruit	Fruit Fly	25mL per 4 litres of	To treat 30 trees mix solution with 25mL of Protein or 200g sugar.	<p>POISON</p> <p>KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING</p>  <p>DAVID GRAYS</p> <p>FRUIT FLY</p> <p>GARDEN SPRAY</p> <p>ACTIVE CONSTITUENT: 500g/L MALDISON (an Anticholinesterase Compound) SOLVENT: 488g/L LIQUID HYDROCARBON</p> <p>For the control of fruit fly on fruit trees in the home garden</p>  <p>Net Contents: 500mL</p>	<p>FIRST AID: If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre Phone eg Australia 131 126; New Zealand 0800 764 766 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. DO NOT induce vomiting. Give a glass of water.</p> <div style="text-align: center;">  </div> <p>Formulated and Packed by: DAVID GRAY & CO. PTY. LTD ACN 008 671 127 2 RAWLINSON STREET, O'CONNOR W.A. 6163 TELEPHONE: (08) 9337 4933 www.davidgray.com.au</p> <p>UN 3018 (Pesticide Organophosphorous Liquid, Toxic, N.O.S.) Pkg III Main Class 6.1 Sub Class 3 TOXIC 6</p> <p>Batch No: D.O.M. APVMA Approval No: 62242/500ML/1107</p>
PLANT	PEST	RATE	HOW TO APPLY								
Fruit	Fruit Fly	25mL per 4 litres of	To treat 30 trees mix solution with 25mL of Protein or 200g sugar.								


YOUR LABELS WILL
 BE SUPPLIED
 IN THE FORMAT
 INDICATED BELOW
 PLS. TICK THE APPROPRIATE BOX

SHEET Form

1  **ABC**

2  **ABC**

3  **ABC**

4  **ABC**

183 mm



遠東包裝工業私人有限公司
 FAR EAST PACKAGING INDUSTRIAL PTE. LTD.
 Co. Reg. No: 197602191G

YOUR PROOF
 Please check carefully,
 sign and return

18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

YOUR LABELS WILL
 BE SUPPLIED
 IN THE FORMAT
 INDICATED BELOW
 5. TICK THE APPROPRIATE BOX

SHEET Form

1

2

3

4

5

6

7

8

Size: W 140mm X H 110mm 500mL



David Grays Fruit Fly Garden Spray

HOW TO USE:

PLANT	PEST	RATE	HOW TO APPLY
Fruit	Fruit Fly	25mL per 4 litres of water	To treat 30 trees mix solution with 25mL of Protein or 200g sugar

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.
 DO NOT PICK FRUIT OR VEGETABLES FOR 4 DAYS AFTER SPRAYING.

HOW TO PREPARE:

Pour required quantity into a measuring cylinder and mix with water.
 Repeat if required and replace childproof cap.
 DO NOT mix more than is needed. DO NOT store prepared spray.

CAUTION:

DO NOT allow chemical container or spray to get into drains, sewers, streams or ponds.

STORAGE and DISPOSAL:

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of container by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist or equivalent clothing and rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID:

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre Phone eg Australia 131 126; New Zealand 0800 764 766 or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. DO NOT induce vomiting. Give a glass of water.

UN 3018

(Pesticide Organophosphorous Liquid,
 Toxic, N.O.S.) Pkg III
 Main Class 6.1 Sub Class 3
 TOXIC 6
 Batch No:
 D.O.M.
 APVMA Approval No: 62242/500ML/1107

Formulated and packed by:
 David Gray & Co., Pty Ltd.
 ACN 008 671 127
 2 Rawlinson Street
 O'CONNOR WA 6163
 Telephone: (08) 9337 4933
 WWW.davidgray.com.au

**BAR
 CODE**

POISON

KEEP OUT OF REACH OF CHILDREN
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**DAVID GRAYS
 FRUIT FLY
 GARDEN SPRAY**

ACTIVE CONSTITUENT: 500g/L MALDISON
 (an Anticholinesterase Compound)
 SOLVENT: 488g/L LIQUID HYDROCARBON

For the control of fruit fly on fruit trees
 in the home garden



Net Contents: 500mL

Perforation

w/o Perforation

Core Diameter:

1.0 inch

1.5 inches

3.0 inches

500 pcs/ROLL 1000 pcs/ROLL 2500 pcs/ROLL 5000 pcs/ROLL

750 pcs/ROLL 1500 pcs/ROLL 3000 pcs/ROLL

800 pcs/ROLL 2000 pcs/ROLL 3500 pcs/ROLL _____ pcs/ROLL

Important: This is your original manuscript, any additional changes will incur a nominal charge. before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.