

DAVID GRAYS AEROSOL SHEEP DRESSING

DIRECTIONS FOR USE:

Restraints

DO NOT USE ON LACTATING EWES WHERE MILK OR MILK PRODUCTS MAY BE USED FOR HUMAN CONSUMPTION. SHAKE WELL BEFORE USING

WHEN USED ON SHEEP WITH LESS THAN 6 WEEKS WOOL A REDUCED PERIOD OF PROTECTION MAY RESULT.

| ANIMAL (PEST) | TREATMENT | RATE |
|--------------------|------------------------|---|
| SHEEP (Blowfly) | Dressing for treatment | Spray direct onto strike area to cover thoroughly |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THE LABEL UNLESS AUTHORISED UNDER THE APPROPRIATE LEGISLATION.

ALL EFFORTS SHOULD BE MADE TO MINIMISE YOUR EXPOSURE TO CHLORFENVINPHOS, PARTICULARLY THE CONCENTRATE.

DO NOT USE THIS PRODUCT IF IT IS TOO HOT TO USE THE RECOMMENDED PPE.

WITHHOLDING PERIOD (MEAT): DO NOT USE less than 14 days before slaughter for human consumption.

WITHHOLDING PERIOD (WOOL): DO NOT USE less than 2 months before shearing or fibre collection.

WITHHOLDING PERIOD (MILK): DO NOT USE on lactating ewes where milk or milk product may be used for human consumption.

SAFETY DIRECTIONS: Product is poisonous if absorbed by skin contact or inhaled or swallowed. Will damage eyes and skin. Will irritate nose and throat. Repeated exposure may cause allergic disorders. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6 mg. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length nitrile gloves, goggles, impervious footwear and half facepiece respirator. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product or spray on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles, respirator (if rubber wash with detergent and warm water) and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 034747000. If swallowed, give one atropine tablet every 5 minutes until dryness of mouth occurs - if poisoned by skin absorption or through lungs, remove contaminated clothing, wash skin thoroughly and give atropine tablet as above. Get to a doctor or hospital quickly. Additional information is in the Material Safety Data Sheet.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT: DO NOT use this product in a manner which causes the product or used container to enter streams, rivers or waterways.

DISPOSAL: Aerosol should be completely emptied before disposal. Place empty can in household rubbish. Do not puncture or incinerate.

Store below 30°C (room temperature)

APVMA Approval No: 42259/450G/0304

Batch No:

Expiry Date:

David Gray & Co. Pty. Ltd.
2 Rawlinson Street,
O'Connor WA 6163
ACN 008 671 127



DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY

DAVID GRAYS
AEROSOL

Sheep Dressing

ACTIVE CONSTITUENTS

DIBUTYLPHTHALATE.....20g/Kg

CHLORFENVINPHOS.....0.64g/Kg

(an Anticholinesterase compound)

FOR THE TREATMENT OF
BLOWFLY STRIKE ON SHEEP.
FOR USE ON SHORT &
LONG WOOL SHEEP

450g NET



APVMA
APPROVED
LABEL
COPY

NOTE: PPL not to scale. MPL dimensions to be:

Height - 190mm Length -

Label image proudly supplied by

