

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**DAVID GRAYS**

**TOMATO DUST**

**ACTIVE CONSTITUENTS**

**19g/kg CARBARYL an anticholinesterase compound**

**40g/kg COPPER present as copper oxychloride**

**300g/kg POWDERED SULPHUR**

**SQEASY PACK**

**500g NET**

**BACK PANEL**

**HOW TO USE:**

To control native budworm, loopers, caterpillars, mites, early blight and powdery mildew apply after watering. Puff Tomato Dust on upper and lower surfaces of leaves and on stems and buds. Repeat as necessary.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.**

**DO NOT APPLY LATER THAN 3 DAYS BEFORE HARVESTING.**

**SAFETY DIRECTIONS:** Avoid contact with eyes and skin. Do not inhale dust. Wash hands after use.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre.

NRA Approval No. 42054/02,

DAVID GRAY & CO. PTY. LTD.  
RAWLINSON STREET  
O'CONNOR WA