

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## TROUGH BLOCK ALGAECIDE

### Active Constituent

63g/kg COPPER ( Cu ) PRESENT AS 250g/kg COPPER SULPHATE

FOR THE CONTROL OF ALGAE AND SLIME IN STOCK TROUGHS

*For Domestic Stock Water Treatment Only*

**NET CONTENTS 220g**

MANUFACTURED BY  
DAVID GRAY & CO. PTY. LTD.  
2 RAWLINSON ST  
O'CONNOR WA 6156  
Emergency Contact Phone (08) 93374933  
Fax (08) 93378316  
ACN 008671127

<b>N.R.A.</b>	
APPROVED LABEL (TEXT)	
Label No:	4/649/0102
Date:	27/2/2002
Signature:	<i>[Handwritten Signature]</i>

### **DIRECTIONS FOR USE**

One TROUGH BLOCK treats approximately 6750 litres of water. Eg. place one block for 30 sheep or 15 cattle in a nonmetallic or painted water trough. Replace block when slime starts to return . Usually lasts 5-8 weeks. Do not use in areas where copper toxicity is known to occur, or in bare metal troughs.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED BY APPROPRIATE LEGISLATION**

### **CAUTION**

If stock are suspected of having Lupinosis, remove blocks from troughs immediately.

**THIS PRODUCT SHOULD NOT BE USED, OR SHOULD BE USED WITH CARE, WHEN THE ANIMALS ARE ALREADY COPPER SUFFICIENT OR HAVE BEEN GRAZING IN PASTURE CONTAINING PLANTS WHICH CAUSE LIVER DAMAGE.**

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIROMENT**

These blocks are hazardous to aquatic life. Do not contaminate damns, lakes or streams.

### **STORAGE AND DISPOSAL**

Store away from food stuffs. Store in original container in a dry, well ventilated area, as cool as possible but out of direct sunlight. Dispose of package by emptying contents into trough, then crush package and place in garbage.

### **SAFETY DIRECTIONS**

Harmful if swallowed. Will irritate the eyes, nose, throat and skin. Avoid contact with eyes and skin. When using the product wear elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. Wash hands after use. After each days use wash gloves and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Ph 131126). If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

### **CONDITIONS OF SALE**

The use of Trough Block Algacide being beyond the control of the manufacturer, no warranty expressed or implied is given by the manufacturer regarding its suitability fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not, and the manufacturer accepts no responsibility for any consequence whatsoever resulting from the use of this product.

### **MATERIAL SAFETY DATA SHEET**

Additional information is listed on the Material Safety Data Sheet for Trough Blocks Algacide which is available from David Gray & Co. Pty. Ltd. on request.  
Phone (08)93374933 or refer their web-site [www.davidgray.com.au](http://www.davidgray.com.au)

Batch No:

**NRA Approval No: 41649/0102**

Date of Manufacture: