



DAVID GRAY & CO PTY LIMITED

A.C.N. 008 671 127

2 Rawlinson Street O'Connor PO Box 2084 Palmyra DC
Western Australia 6961

Ph (08) 9337 4933 Fax (08) 9337 8316

Internet: www.davidgray.com.au (MSDS's & Company Information)

Emergency Telephone Number (08) 9337 4933 (During Office Hours)

Date of Issue: April 2003

Page 1 of 4

MATERIAL SAFETY DATA SHEET

IDENTIFICATION

CLASSIFIED AS NOT HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

PRODUCT NAME:	Bordeaux
OTHER NAME:	Copper oxychloride
MANUFACTURERS CODE:	(06945) 200g
CORRECT SHIPPING NAME (ADG):	None Allocated
UN NUMBER:	None Allocated
DANGEROUS GOODS CLASS:	None Allocated
SUBSIDIARY-RISK:	Not Applicable
PACKAGING GROUP:	None Allocated
HAZCHEM CODE:	Not Applicable
POISONS SCHEDULE:	5
USE:	To control fungus diseases of plants.

PHYSICAL DESCRIPTION / PROPERTIES

APPEARANCE:	light green powder.
MELTING POINT:	Not applicable
BOILING POINT:	Not applicable
VAPOUR PRESSURE:	Not applicable
SPECIFIC GRAVITY:	Not applicable
FLASH POINT:	Not applicable
FLAMMABILITY LIMITS:	Not applicable
SOLUBILITY IN WATER:	Disperses in water
CORROSIVENESS:	Not Corrosive
REACTIVITY:	Do not expose to oxidising agents, acids, alkalis, dyes

INGREDIENTS

CHEMICAL NAME	CAS.NO.	PROPORTION
Copper	1332-40-7	125g/Kg
Other ingredients determined not to be hazardous	-	To 100%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

HAZARD CLASSIFICATION (In accordance with criteria of Worksafe Australia): Classified as not hazardous

RISK PHRASES: None allocated

SAFETY PHRASES: None allocated

GENERAL:

No adverse health effects are expected when the product is used in accordance with label directions.

ACUTE

SWALLOWED:

The acute oral toxicity is Moderate. Oral LD50 (rat) 750mg/kg (Copper oxychloride).

For product Oral LD50 (rat) 6000mg/kg

EYE:

Moderate eye irritant.

SKIN:

The acute dermal toxicity is low. Repeated skin contact may cause allergic reactions.

Dermal LD50 (rat) >2000mg/kg (Copper oxychloride).

For product LD50 >16000mg/kg.

INHALED:

The acute inhalation toxicity is moderate. Excessive exposure to dust may be harmful. Prolonged exposure to the dust may cause eye and respiratory irritation, dizziness and headaches.

Inhalation LD50 (rat) = >30 mg/m³ (4 hours) (Copper oxychloride).

CHRONIC:

No adverse health effects are expected when the product is used in accordance with label directions.

FIRST AID

GENERAL:

In every case of suspected poisoning contact a doctor or a Poisons Information Centre immediately.

SWALLOWED:

Seek medical attention immediately.

NOTE: Do not give fluids, tablets or induce vomiting if patient is unconscious or convulsing.

EYE:

Hold eyelids open and flush eyes with water for at least fifteen minutes. Seek medical attention.

SKIN:

Immediately remove contaminated clothing and wash skin thoroughly with soap and water for at least fifteen minutes. If symptoms of poisoning occur give atropine tablets as above and seek medical attention immediately.

INHALED:

Immediately remove patient to fresh air. If difficulty in breathing is experienced, give oxygen and artificial respiration if necessary.

FIRST AID FACILITIES:

Soap, water.

ADVICE TO DOCTOR:

Treat Symptomatically

PRECAUTIONS FOR USE

EXPOSURE STANDARDS:

Worksafe Occupational Exposure Standard (TWA – Time Weighted Average)

Copper oxychloride - 10mg/m³

Time Weighted Average (TWA) means the average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

ENGINEERING CONTROLS:

Use only in a well ventilated area.

PERSONAL PROTECTION:

When handling the product, preparing and using spray wear:
Wash hands, after use and before eating and drinking.

FLAMMABILITY:

Not flammable under normal conditions of use.

SAFE HANDLING INFORMATION

STORAGE

Store product in original container only in a locked, well-ventilated area out of direct sunlight.

TRANSPORT

Product is not classified as a dangerous good in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail.

SPILLAGE

If made up solution is spilt apply absorbent material such as sand, earth or attapulgate to contain the spill . Sweep up the material when absorption is complete. If the powder is spilt sweep up and re-use.

DISPOSAL

Dispose of empty containers by wrapping in paper, placing in plastic bag and putting in garbage. Do not allow chemical containers, spray or washings to contaminate drains, sewers, streams, ponds or any waterway.

FIRE/EXPLOSION HAZARD

Not a fire or explosion hazard

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

FIRE FIGHTING EQUIPMENT: Water, foam carbon dioxide or dry chemical powder

OTHER INFORMATION

ECOTOXICITY DATA: Not toxic to bees. Toxic to aquatic organisms

ENVIRONMENTAL FATE: No data available

CONTACT POINT

TITLE: Technical Department

TELEPHONE NUMBER: (08) 9337 4933

AUTHORISED:

DATE:

NOTICE:

This Material Safety Data Sheet has been developed according to the Worksafe Australia/NOHSC Codes of Practice.

The information contained herein is given in good faith however and is considered to be accurate at the specified issue date. No warranty expressed or implied is made to the accuracy or completeness of the data and information contained herein.

No person, other than an authorised representative of David Gray & Company Pty Ltd, has the authority to make any alterations to this MSDS.

Contact David Gray & Co Pty Limited for further product information on (08) 9337 4933 during normal business hours.