

AMBER



DAVID GRAY & CO. PTY LIMITED
2 Rawlinson Street O'CONNOR WA 6163
PO BOX 2084 PALMYRA DC WA 6961
Ph: (08) 9337 4933 Fax: (08) 9337 8316
email: general@davidgray.com.au web: www.davidgray.com.au

MATERIAL SAFETY DATA SHEET

Product Name **DAVID GRAYS MICRO-LO CHLORPYRIFOS TERMITICIDE AND INSECTICIDE**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name DAVID GRAY & CO PTY LIMITED
Address 2 Rawlinson Street, O'Connor, WA, AUSTRALIA, 6961
Telephone (08) 9337 4933
Fax (08) 9337 8316
Emergency (08) 9337 4933 (B/H)
Email general@davidgray.com.au
Web Site <http://www.davidgray.com.au/>
Synonym(s) MANUFACTURER'S CODE: 25392 (5L), 25407 (20L)
Use(s) INSECTICIDE • TERMICIDE
MSDS Date 21 Jun 2010

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R21/22 Harmful in contact with skin and if swallowed.
R65 Harmful: May cause lung damage if swallowed.

SAFETY PHRASES

S1/2 Keep locked up and out of reach of children.
S23 Do not breathe gas/fumes/vapour/spray (where applicable).
S24 Avoid contact with skin.
S28 After contact with skin, wash immediately with plenty of water.
S36/37 Wear suitable protective clothing and gloves.
S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).
S60 This material and its container must be disposed of as hazardous waste.
S61 Avoid release to the environment. Refer to special instructions / safety data sheets.
S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 3018 **DG Class** 6.1 **Subsidiary Risk(s)** None Allocated
Packing Group III **Hazchem Code** 2WE

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
CHLORPYRIFOS	C9-H11-C13-N-O3-P-S	2921-88-2	45%

AMBER

Product Name **DAVID GRAYS MICRO-LO CHLORPYRIFOS TERMITICIDE AND INSECTICIDE**

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC	Not Available	64742-94-5	32.65%
ADDITIVE(S)	Not Available	Not Available	Not Available

4. FIRST AID MEASURES

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. If poisoning occurs, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or doctor. Give one atropine tablet every 5 minutes until dryness of the mouth occurs. Apply artificial respiration if not breathing.
Skin	If skin contact occurs, remove any contaminated clothing and flush skin with running water. If poisoned, give 1 atropine tablet every 5 minutes until dryness of the mouth occurs. Remove from contaminated area. Seek immediate medical advice.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs. Seek medical attention immediately.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flammability	Combustible. May evolve toxic gases (phosphorus/ carbon/ nitrogen/ sulphur oxides, hydrogen chloride, phosgene, hydrocarbons) when heated to decomposition. May also evolve hydrogen chloride, ethyl sulphide and diethyl sulphide when heated to decomposition.
Fire and Explosion	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.
Hazchem Code	2WE

6. ACCIDENTAL RELEASE MEASURES

Spillage	Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Prevent spill entering drains or waterways. Only trained personnel should undertake clean up.
-----------------	--

7. STORAGE AND HANDLING

Storage	Store in a cool, dry, well ventilated area, removed from moisture, oxidising agents, acids, alkalis, iron, mild/galvanised steel, zinc, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate fire protection systems. Store as a Class C1 Combustible Liquid (AS1940).
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA		STEL	
Chlorpyrifos	ASCC (AUS)	--	0.2 mg/m3	--	--

AMBER

Product Name DAVID GRAYS MICRO-LO CHLORPYRIFOS TERMITICIDE AND INSECTICIDE

Biological Limits No biological limit allocated.

Engineering Controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE Wear splash-proof goggles, a PVC apron, safety boots, viton (R) gloves, coveralls and a Type A (Organic vapour) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	LIGHT BROWN TO AMBER COLOURED LIQUID	Solubility (Water)	EMULSIFIES
Odour	SLIGHT ODOUR	Specific Gravity	1.090 - 1.12
pH	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	0.074 kPa @ 20°C (Solvent)	Flammability	CLASS C1 COMBUSTIBLE
Vapour Density	NOT AVAILABLE	Flash Point	> 62°C
Boiling Point	178°C (Approximately, solvent)	Upper Explosion Limit	6.0 %
Melting Point	< 0°C	Lower Explosion Limit	0.9 %
Evaporation Rate	NOT AVAILABLE		
Appearance	LIGHT BROWN TO AMBER COLOURED LIQUID	Odour	SLIGHT ODOUR

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid), alkalis (eg. hydroxides), iron, zinc, stainless/galvanised steel and heat sources. Chlorpyrifos is considered corrosive to copper and brass.
Hazardous Decomposition Products	May evolve toxic gases (phosphorus/ carbon/ nitrogen/ sulphur oxides, hydrogen chloride, phosgene, hydrocarbons) when heated to decomposition. May also evolve hydrogen chloride, ethyl sulphide and diethyl sulphide when heated to decomposition.
Hazardous Reactions	Hazardous polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Toxic - irritant. This product has the potential to cause adverse health effects. Use safe work practices to avoid eye or skin contact and inhalation. Cholinesterase inhibitor resulting in the accumulation of acetylcholine, causing rapid twitching of voluntary muscles and finally paralysis. Chronic exposure to some solvents may result in central nervous system (CNS), liver and kidney damage. The potential for adverse health effects may be reduced upon dilution. No adverse health effects are expected when the product is used in accordance with label directions.
Eye	Irritant. Contact may result in irritation, lacrimation, pain, redness and blurring or dimness of vision.
Inhalation	Toxic. Over exposure may result in irritation of the nose and throat, coughing, weakness, nausea, headache, vomiting and mild chest pain. High level exposure may result in dizziness, incoordination, excessive salivation, sweating, and breathing difficulties. Cholinesterase inhibitor.
Skin	Irritant - toxic. Contact may result in irritation, redness, pain and rash. May be absorbed through skin with harmful effects.
Ingestion	Toxic. Ingestion may result in nausea, vomiting, abdominal pain, diarrhoea, fatigue, and sweating and/or salivation. Ingestion of large quantities may result in breathing difficulties, muscle spasms and convulsions. Aspiration may result in chemical pneumonitis and pulmonary oedema.

AMBER

Product Name **DAVID GRAYS MICRO-LO CHLORPYRIFOS TERMITICIDE AND INSECTICIDE**

Toxicity Data CHLORPYRIFOS (2921-88-2)
Health Surveillance: Required [NOHSC:1005(1994)]
LC50 (Inhalation): 2600-3600 mg/m³/4 hours (rat)
LD50 (Ingestion): 60 mg/kg (mouse)
LD50 (Skin): 202 mg/kg (rat)
LDLo (Skin): 100 mg/kg (guinea pig)
TDLo (Ingestion): 10 mg/kg (mouse)
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC (64742-94-5)
LC50 (Inhalation): > 590 mg/m³/4 hours (rat)
LD50 (Skin): > 2 mL/kg (rabbit)
LDLo (Ingestion): 5 mL/kg (rat)

12. ECOLOGICAL INFORMATION

Environment Chlorpyrifos is highly toxic to insects, fish and mammals. SOIL: Can degrade by hydrolysis, volatilisation & microbial degradation. Soil persistence of 60-120 days is usual. WATER: Will absorb to sediment. Hydrolysis half-life: 35-78 days. Photolysis not expected to be significant. Microbial degradation may contribute. Volatilisation half-life: ~6 days. ATMOSPHERE: Will react with hydroxyl radicals (half-life: 14 hrs). Chlorpyrifos is highly toxic to birds, fish and bees, moderately toxic to pets and livestock, low toxicity to earthworms and does not bioaccumulate. It has a half life of 6 to 280 days depending upon sunlight, soil type and climatic conditions. Chlorpyrifos binds strongly to particles of soil and organic materials. It does not leach in soils and is readily degraded by hydrolysis (12 hours to 6 days), microbial action and is lost by volatilisation.

13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site only. Contact the manufacturer for additional information if larger amounts are involved. Triple rinse (or preferably pressure rinse) containers before disposal. Add rinsings to spray tank.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION



CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC				
UN No.	3018	DG Class	6.1	Subsidiary Risk(s)	None Allocated
Packing Group	III	Hazchem Code	2WE	GTEPG	6A1

15. REGULATORY INFORMATION

Poison Schedule Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information This product is used for the control of subterranean termites and other domestic insect pests as specified on the label.

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EC No - European Community Number.

IARC - International Agency for Research on Cancer.

Product Name**DAVID GRAYS MICRO-LO CHLORPYRIFOS TERMITICIDE AND INSECTICIDE**

M - moles per litre, a unit of concentration.

mg/m³ - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

COLOUR RATING SYSTEM: RMT has assigned all Chem Alert reports a colour rating of Green, Amber or Red for the sole purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all Chem Alert reports so as to clearly identify how users can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline, a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

While all due care has been taken by RMT in the preparation of the Colour Rating System, it is intended as a guide only and RMT does not provide any warranty in relation to the accuracy of the Colour Rating System. As far as is lawfully possible, RMT accepts no liability or responsibility whatsoever for the actions or omissions of any person in reliance on the Colour Rating System.

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared By

Risk Management Technologies

5 Ventnor Ave, West Perth

Western Australia 6005

Phone: +61 8 9322 1711

Fax: +61 8 9322 1794

Email: info@rmt.com.au

Web: www.rmt.com.au

SDS Date 21 Jun 2010

End of Report