CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE USING OR OPENING

DAVID GRAYS SNAIL KILLER

ACTIVE CONSTITUENT: 20g/Kg METALDEHYDE TO CONTROL SLUGS and SNAILS

1Kg NET

DAVID GRAY & CO. PTY, LTD. 2 RAWLINSON STREET O'CONNOR WEST AUSTRALIA 6163 ACN: 008 671 127 APPROVED LABEL (TEXT)
Label No: 42261 0802
Date: 9 9 102
Signature: Clare

Page 1 of 2 09/05/02

DAVID GRAYS SNAIL KILLER POWDER

HOW TO USE:

SITUATION	HOW TO APPLY
Snails and Slugs	Water area well. To eradicate Snails and Slugs lay a trial of Snail Killer Powder around flower and vegetable beds. Place bait in shady situations where snails congregate under shrubs and creepers and along fencelines. Use regularly to prevent further infestation.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED

CAUTION:

Store in original container. Lock in a safe place preventing access of children, animals, poultry or ducks. Keep away from domestic pets. Keep away from dogs. Dogs find this bait attractive and it may kill them. If pets are poisoned, contact a veterinary surgeon. DO NOT place baits in heaps. Keep away from domestic pets, especially dogs. Dogs find Metaldehyde attractive and it may kill them. If pets are poisoned contact a Veterinary Surgeon. DO NOT allow chemical containers or bait to get into drains, sewers, streams and ponds.

STORAGE and DISPOSAL:

Store in the closed original container is a dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage

SAFETY DIRECTIONS:

Poisonous if swallowed. Wash hands after use.

FIRST AID:

If poisoning occurs contact your doctor or Poisons Information Centre. Ph. 131126.

NRA Number: 42269/08/02

D.O.M. Batch No: Bar Code:

> Page 2 of 2 09/05/02